

CLASSIFICATION: 09 65 19

PRODUCT DESCRIPTION: Elemental by Aspecta™ Dryback 2.5mm luxury vinyl tile flooring comes with a 0.55mm (22mil) wear layer and consists of 32 plank and tile designs ideal for any interior. Our range of embosses create authentic, eye-catching textures that enhance the natural details of the designs, while our Duraspect™ Extreme Surface Protectant provides advanced stain repellency & abrasion resistance. Covered by a 10-year commercial / 15-year residential limited warranty, Elemental by Aspecta™ Dryback 2.5mm is composed of 100% virgin vinyl, phthalate & formaldehyde-free, FloorScore® certified, and made at a factory that was the first in China for which the International Living Future Institute issued a Just™ Label - a program that measures a company's social equity and equality policies & practices.

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method
- Basic Method

#### Threshold Disclosed Per

- Material
- Product

#### Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

#### Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

All Substances Above the Threshold Indicated Are:

**Characterized**  Yes Ex/SC  Yes  No  
% weight and role provided for all substances.

**Screened**  Yes Ex/SC  Yes  No  
All substances screened using Priority Hazard Lists with results disclosed.

**Identified**  Yes Ex/SC  Yes  No  
All substances disclosed by Name (Specific or Generic) and Identifier.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**ELEMENTAL DRYBACK 2.5MM - LUXURY VINYL TILE [ CALCIUM CARBONATE BM-3 POLYVINYL CHLORIDE (PVC) LT-P1 | RES BIS(2-ETHYLHEXYL) TEREPHTHALATE (DOTP) BM-3 CALCIUM STEARATE LT-UNK ZINC STEARATE LT-P1 CARBON BLACK LT-1 | CAN METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE LT-UNK POLYURETHANE FOAMS LT-UNK 1,6-HEXANEDIOL DIACRYLATE LT-P1 | SKI | EYE | MUL LANTHANUM(3+) STEARATE NoGS RED 221 (C.I.PIGMENT RED 221) LT-UNK VINYL CHLORIDE-VINYL ACETATE COPOLYMERS LT-UNK TRIMETHYLOLPROPANE TRIACRYLATE (TMPTA) LT-P1 | RES | CAN | SKI | EYE FUMED SILICA, CRYSTALLINE-FREE (SILICON DIOXIDE POWDER) LT-P1 | CAN DISILOXANE, 1,3-DIETHENYL-1,1,3,3-TETRAMETHYL- (DIVINYLTETRAMETHYLDISILOXANE) LT-UNK DIAMOND (DIAMOND POWDER) LT-UNK HYDROXYCYCLOHEXYL PHENYL KETONE LT-UNK ]**

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1  
Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore

#### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

Yes

No

PREPARER: **Self-Prepared**

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-04-05

PUBLISHED DATE: 2019-04-05

EXPIRY DATE: 2022-04-05



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-standard](http://www.hpd-collaborative.org/hpd-2-1-standard)

## ELEMENTAL DRYBACK 2.5MM - LUXURY VINYL TILE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: While Elemental by Aspecta™ Dryback 2.5mm does not meet the qualifications for "Residuals & Impurities - Considered" per HPDC's Emerging Best Practices , we have: 1) disclosed all known, intentionally-added ingredients; 2) tested this product to ensure it is free of red list heavy metals, phthalate-free, formaldehyde-free, complies with REACH SVHC, and meets VOC emissions/indoor air quality requirements per FloorScore® / California Section 01350.

OTHER PRODUCT NOTES: All known, intentionally-added ingredients of Elemental by Aspecta Dryback 2.5mm are disclosed in this HPD.

### CALCIUM CARBONATE

ID: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-04-05

#: 57.2560 - 59.7820

GS: BM-3

RC: None

NANO: No

ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES:

### POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-04-05

#: 31.3390 - 33.8650

GS: LT-P1

RC: None

NANO: No

ROLE: Polymer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

### BIS(2-ETHYLHEXYL) TEREPHTHALATE (DOTP)

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-04-05

%: 10.3094 - 11.1514

GS: BM-3

RC: None

NANO: No

ROLE: Plasticizer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: Also known as Dioctyl terephthalate, or DOTP, this plasticizer has undergone a full toxicological screening through GreenScreen and achieved a Benchmark 3 out of a possible 4, whereas phthalate plasticizers typically achieve a Benchmark 1.

**CALCIUM STEARATE**

ID: 1592-23-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-04-05

%: 0.3786 - 0.5049

GS: LT-UNK

RC: None

NANO: No

ROLE: Stabilizer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES:

**ZINC STEARATE**

ID: 557-05-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-04-05

%: 0.3786 - 0.5049

GS: LT-P1

RC: None

NANO: No

ROLE: Stabilizer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES:

**CARBON BLACK**

ID: 1333-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-04-05

%: 0.0674 - 0.0674

GS: LT-1

RC: None

NANO: No

ROLE: Pigment

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

CANCER

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Carbon black (as airborne, unbound particles) is considered a carcinogen. This substance, as used in this product, is bound within the product and is unable to be inhaled or ingested through normal product use. Thus, the hazards usually associated with this substance are not applicable to this product.

**METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE**

ID: 25852-37-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-04-05**%: **0.0623 - 0.0623**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Modifier**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES:

**POLYURETHANE FOAMS**

ID: 9009-54-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-04-05**%: **0.0390 - 0.0780**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Polymer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES:

**1,6-HEXANEDIOL DIACRYLATE**

ID: 13048-33-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-04-05**%: **0.0260 - 0.0325**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **UV Acrylic Layer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

SKIN IRRITATION

EU - GHS (H-Statements)

H315 - Causes skin irritation

SKIN SENSITIZE

EU - GHS (H-Statements)

H317 - May cause an allergic skin reaction

EYE IRRITATION

EU - GHS (H-Statements)

H319 - Causes serious eye irritation

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SKIN SENSITIZE

MAK

Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: 1,6-hexanediol diacrylate (as a liquid) is considered a skin and eye irritant. This substance, as used in this product, is bound within the product and does not come into contact with the skin or eyes through normal product use. Thus, the hazards usually associated with this substance are not applicable to this product.

**LANTHANUM(3+) STEARATE**

ID: 14741-67-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-04-05**%: **0.0252 - 0.0252**GS: **NoGS**RC: **None**NANO: **No**ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

No hazards found

SUBSTANCE NOTES:

**RED 221 (C.I.PIGMENT RED 221)**

ID: 61815-09-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-04-05**

?: **0.0185 - 0.0185**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Ink**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

No hazards found

SUBSTANCE NOTES:

**VINYL CHLORIDE-VINYL ACETATE COPOLYMERS**

ID: 9003-22-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-04-05**

?: **0.0185 - 0.0185**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Ink**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

No hazards found

SUBSTANCE NOTES:

**TRIMETHYLOLPROPANE TRIACRYLATE (TMPTA)**

ID: 15625-89-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-04-05**

?: **0.0130 - 0.0325**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **UV Acrylic Layer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

**RESPIRATORY**      **AOEC - Asthmagens**      **Asthmagen (Rs) - sensitizer-induced**

**CANCER**      **IARC**      **Group 2B - Possibly carcinogenic to humans**

**SKIN IRRITATION**      **EU - GHS (H-Statements)**      **H315 - Causes skin irritation**

**SKIN SENSITIZE**      **EU - GHS (H-Statements)**      **H317 - May cause an allergic skin reaction**

**EYE IRRITATION**      **EU - GHS (H-Statements)**      **H319 - Causes serious eye irritation**

**SKIN SENSITIZE**      **MAK**      **Sensitizing Substance Sh - Danger of skin sensitization**

SUBSTANCE NOTES: Trimethylolpropane triacrylate (TMPTA) is considered a skin and eye irritant and a possible carcinogen (in its liquid state). This substance, as used in this product, is bound within the product and does not come into contact with the skin or eyes, nor can it be inhaled or ingested, through normal product use. Thus, the hazards usually associated with this substance are not applicable to this product.

### FUMED SILICA, CRYSTALLINE-FREE (SILICON DIOXIDE POWDER)

ID: 112945-52-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-04-05**

#: **0.0065 - 0.0195** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **UV Acrylic Layer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

Japan - GHS

Carcinogenicity - Category 1A

CANCER

Australia - GHS

H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Fumed silica, crystalline-free (also known as silicon dioxide powder) is a transparent to gray, odorless, tasteless powder and is considered a carcinogen (in its unbound state). This substance, as used in this product, is bound within the product and is unable to be inhaled or ingested through normal product use. Thus, the hazards usually associated with this substance are not applicable to this product.

### DISILOXANE, 1,3-DIETHENYL-1,1,3,3-TETRAMETHYL-(DIVINYLTETRAMETHYLDISILOXANE)

ID: 2627-95-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-04-05**

#: **0.0065 - 0.0130** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **UV Acrylic Layer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES:

### DIAMOND (DIAMOND POWDER)

ID: 7782-40-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-04-05**

#: **0.0065 - 0.0065** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **UV Acrylic Layer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES:

### HYDROXYCYCLOHEXYL PHENYL KETONE

ID: 947-19-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-04-05**

#: **0.0039 - 0.0078** GS: **LT-UNK** RC: **None** NANO: **No** ROLE: **UV Acrylic Layer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

---

**No hazards found**

---

SUBSTANCE NOTES:



## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### RFCI FloorScore

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

[https://www.scs-certified.com/products/cert\\_pdfs/AspectaNA\\_2018\\_SCSFS-03808\\_s2.pdf](https://www.scs-certified.com/products/cert_pdfs/AspectaNA_2018_SCSFS-03808_s2.pdf)

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE:

**2018-12-01**

EXPIRY DATE:

**2019-11-30**

CERTIFIER OR LAB:

**SCS Global Services**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### PREVAIL 3500 HARD SET ADHESIVE

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

One of three recommended adhesive choices for this product. Refer to the professional installation manual for additional details.

### PREVAIL 4000 TWO-PART EPOXY

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

One of three recommended adhesive choices for this product. Refer to the professional installation manual for additional details.

### PREVAIL 6000 PRESSURE SENSITIVE ADHESIVE (PSA)

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

One of three recommended adhesive choices for this product. Refer to the professional installation manual for additional details.

## Section 5: General Notes

To preserve manufacturers full warranty, the use of recommended adhesives noted above is required. All recommended adhesives are FloorScore® certified for good indoor air quality. Additional information available upon request.



## MANUFACTURER INFORMATION

MANUFACTURER: **Aspecta N.A.**

ADDRESS: **15 Oakwood Avenue**

**Norwalk CT 06850, USA**

WEBSITE: **www.elementalbyaspecta.com**

CONTACT NAME: **Arthur R. Clarke III**

TITLE: **Director of Sustainability**

PHONE: **(203) 299-3113**

EMAIL: **transparency@aspecta flooring.com**

## KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**MAM** Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive)

**REP** Reproductive toxicity

**RES** Respiratory sensitization

**SKI** Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

**NF** Not found on Priority Hazard Lists

### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1

**LT-1** List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**NoGS** Unknown (no data on List Translator Lists)

### Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*